

Design Standards Letter

Letter Number: G-1965-10

Letter Date: 02/26/1965

Effective Date: 04/02/1965

Section/Plan No.: None

Subject: Revised Special Provisions

Body

ALL DIVISION, DISTRICT AND URBAN ENGINEERS AND CHIEF COUNSEL:

We are furnishing you, under separate cover, several copies of the following revised special provisions.

Highway Signing. Page Seven of this Special Provision has been revised to add Section 72.2.7.5, covering the installation of reflectors in the frames and the replacement of reflectors selected for testing. This Special Provision will be effective with the April 2, 1965 Letting.

Section 60 Corrugated Metal Pipe and Pipe - Arch Culverts. Page Two of this Special Provision has been revised to provide for the 48" diameter pipe being furnished either round or shop elongated in accordance with table of allowable heights of overfill. This Special Provision will be effective with the April 30, 1965 Letting.

Erosion Control - Seeding - Mulching. This Special Provision has been revised to: (1) remove the material requirements of the Type 1 Mulch with respect to the length of foliage and the use of musty, moldy, or caked mulch, (2) permit the use of hay for Type 2 Mulch, as specified in Section 90.12.1.1, (3) delete the thickness requirement of the Type 1 Mulch, and (4) increase the rate of application of straw of the Type 2 Mulch from 1 1/2 tons per acre to 2 1/2 tons per acre. This Special Provision will be effective with the April 30, 1965 letting, and the quantities and estimates of all projects scheduled for this, and subsequent lettings, should be corrected to the new rates of application.

L. V. McLaughlin
Engineer of Surveys and Plans