

Design Standards Letter

Letter Number: G-1966-22

Letter Date: 06/10/1966

Effective Date: 06/10/1966

Section/Plan No.: None

Subject: Standard Drawings - Revised

Body

ALL DIVISION AND DISTRICT ENGINEERS AND CHIEF COUNSEL:

We are furnishing you herewith several copies of the following revised standard drawings.

Drawing 54.00. This drawing has been revised to provide a ball foot as an alternate to the knuckled foot for the continuous high chairs and beam and slab bolsters; and to require that a ball or knuckled foot be used on all bar supports bearing on forms.

Drawing 70.00. This drawing has been revised to eliminate reference to concrete light poles, add butt base steel light poles, eliminate fluorescent underpass luminaries, and to establish a 10.5-inch bolt circle for poles to be mounted on structures.

Drawing 70.01. This drawing has been revised to eliminate references to concrete light poles.

Until further notice, the kind of light poles will not be specified on the plans or in the proposal. Section 70.3 of the Standard Specifications will be revised to delete concrete poles as a contractor's option.

The contractor will designate the kind of pole he proposes to furnish in the list of equipment and materials which he submits in accordance with Section 70.2.1.

Poles are to be listed and paid for under the following items.

Item 70004: Type A-_____ Lighting Pole, each
Item 70009: Type B-_____ Lighting Pole, each

The blank space in the item description is for the mounting height.

Exceptions to the above instructions are made for Projects U-UG-40-5(17) and U-UG-40-5

(18) in the City of St. Louis where pre-commitments have been made to use concrete lighting poles.

L.V. McLaughlin
Division Engineer
Surveys and Plans