

Design Standards Letter

Letter Number: G-1968-48

Letter Date: 11/25/1968

Effective Date: 01/01/1969

Section/Plan No.: S0407, S0408, S0501, S1015, S1040

Subject: Missouri Supplemental Specifications and Table of Contents

Body

ALL DIVISION AND DISTRICT ENGINEERS AND CHIEF COUNSEL:

You were furnished by General Letter No. 44, 1968, several advance copies of Supplemental Specifications for use beginning January, 1969.

These have now been reduced to the size and format which will appear in the proposals and which will facilitate insertion in your copy of the Standard Specifications, if desired.

Subsequent to the previously mentioned letter, we have approved four additional supplements as follows:

Section 407 Tack Coat and Section 408 Prime Coat

The first sentence of both of these sections (407.4.3 and 408.4.3) has been revised to correct the section reference from 406.6.4 to read 406.4.3.

Section 501 Portland Cement Concrete

The table in Section 501.7.1 was revised to add Class C concrete in order to control the quantity of air if the contractor elects to use air-entrained Class C concrete.

Section 1015 Bituminous Materials

Table III on page 646 was corrected by moving the values for Flash Point and Asphalt Residue from the SC-250 max. column to the SC-800 min. column.

A new table of contents, which includes the above supplements, is also attached.

No change has been made in the supplements previously furnished you, except that Table I in Section 1040.3.3.1 was revised, in format only, with no change in values.

Leland D. Fletcher
Division Engineer
Surveys and Plans