

# Design Standards Letter

**Letter Number: G-1971-11**

**Letter Date: 04/22/1971**

**Effective Date: 06/01/1971**

**Section/Plan No.: P607.20, P609.00, P612.20, P901.01, P903.02, P903.03**

**Subject: Revised Standard Drawings**

## Body

-----  
ALL DIVISION AND DISTRICT ENGINEERS

Attached are copies of revised Standard Drawings numbered 607.20B, 609.00B, 612.20C, 901.01D, 903.02A and 903.03F.

Standard Drawing 607.20B has been revised to include a note indicating method of attachment of fabric to steel line posts.

Standard Drawing 609.00B has been revised to clarify the use of joints and type of filler material in concrete curb, curb and gutter and gutter.

Standard Drawing 612.20C has been revised to correct various discrepancies in sign numbers and locations.

Standard Drawing 910.01D has been re-drawn for legibility. The note pertaining to mounting brackets and pole cap, in the upper left corner on Sheet 1 of 2, has been removed.

Standard Drawing 903.02A has been revised by adding a new Sheet 3 of 11 pertaining to Exit Numbering. Sheet 9 of 11 has a dimension correction on the two Business Loop Signs. On Sheet 11 of 11 a 6'- 6" max. dimension has been added for height of bottom of sign above edge of pavement. Included with this letter are two sheets of instructions to be used in conjunction with Sheet 3 of 11 of this Standard Drawing.

Standard Drawing 903.03F has been revised to include maximum height of sign above edge of pavement.

These revisions are effective with the June, 1971 Letting.

James F. Roberts  
Division Engineer  
Surveys and Plans