

Design Standards Letter

Letter Number: G-1985-03

Letter Date: 04/12/1985

Effective Date: 05/01/1985

Section/Plan No.: S0102, S0705, S0801, S0901, S0902, S0903, S1023, S1033, S1038

Subject: Revised General Special Provisions and Form SP-14

Body

Attached are copies of revised General Special Provisions and Form SP-14.

A brief description of the latest revisions follows:

SP-14. Sec 102 Bidding Requirements and Conditions, Sec 801 Fertilizing, Sec 1023 Structural Plate Pipe and Pipe-Arches, Sec 1033 Precast Reinforced Concrete Manhole and Drop Inlet Sections, and Sec 1038 Bearing Pads for Structures have been added.

Sec 102. The revision allows the Commission to reject any and all bids without qualification or reservation.

Sec 705. 705.4.8 has been revised to change "stress relieved" to "low relaxation strands" and to delete the size.

Sec 801. This revision changes the method of calculating the effective neutralizing material in agricultural lime and makes MHTD methods of calculation and acceptance the same as the Missouri Agricultural Experiment Station.

Sec 901, 902, and 903. These sections have been revised to make the requirements for pull boxes, frames, covers, and cable hooks identical for each section. In addition the bituminous pull boxes have been deleted from Sec 901 and 903.

Sec 1023. Table I has been revised to correspond with AASHTO specifications.

Sec 1026 and 1033. Revised in accordance with latest AASHTO specifications.

Sec 1038. Table I revised to allow the use of steel presently covered in AASHTO specifications.

The above revisions are effective with the May, 1985 letting.