

# Design Standards Letter

Letter Number: **G-1987-02**

Letter Date: **03/16/1987**

Effective Date: **05/01/1987**

Section/Plan No.: **S0109, S0110, S0411, S0702, S0703, S0705, S0712, S0901, S0903, S1022, S1023, S1026, S1036, S1042, S1046, S1060**

Subject: **Revised General Special Provisions and Form SP-14**

## Body

-----  
Attached are copies of revised General Special Provisions and Form SP-14.

A brief description of the latest revisions follows:

**SP-14. Sec 109 Measurement and Payment. Sec 110 State Wage Rate Requirements. Sec 411 Undersealing Pavement, Sec 702 Bearing Pile, Sec 703 Concrete Masonry Construction, Sec 901 Highway Lighting, Sec 903 Highway Signing, Sec 1022 Corrugated Metallic-Coated Steel Pipe Underdrain, Sec 1026 Reinforced Concrete Culvert, Storm Drain and Sewer Pipe, Sec 1033 Precast Reinforced Concrete Manhole and Drop Inlet Sections, Sec 1036 Reinforcing Steel for Concrete, Sec 1042 Highway Sign Materials, Sec 1046 Sign Enamels and Paints, and Sec 1060 Electrical Conduit have been added.**

**Sec 109. The revision allows the addition of a rate adjustment factor and eliminates premium pay.**

**Sec 110. This revision requires the contractor to submit certified copies of payrolls each week. This provision has been included in bid proposals for approximately the last two years.**

**Sec 411. This section has been completely rewritten in an attempt to obtain better results from undersealing.**

**Sec 702. Revised to modify payment for bearing pile.**

**Sec 703. Revised to insure a level surface for bridge bearing seats.**

**Sec 705 and 712. Revised due to AASHTO M 161 and M 188 being discontinued.**

**Sec 901. The revision permits the use of a resin mortar and fiberglass preformed pull box.**

**Sec 902. Revised to require all signal heads be black in color and to update other portions in accordance with industry standards. Permits the use of a resin mortar and fiberglass preformed pull box. Reference to AASHTO M 161 and M 188 deleted.**

**Sec 903. Revised to permit the use of a resin mortar and fiberglass preformed pull box. Reference to AASHTO N 161 and M 188 deleted.**

**Sec 1022. Revised to conform to the latest revisions of AASHTO M 36.**

**Sec 1026, 1033 and 1036. Revised to conform to the latest revisions of AASHTO M 31.**

**Sec 1042. Removes the word baking in agreement with the Sec 1046 revision.**

**Sec 1046. This section has been completely rewritten to allow the use of more readily available enamels and paints for signing.**

**Sec 1060. The revision deletes asbestos-cement conduit, adds fiberglass conduit, updates specification references, and changes the certification requirements for non-metallic conduit.**

**The above revisions are effective with the May, 1987 letting.**