

Design Standards Letter

Letter Number: G-1998-08

Letter Date: 07/10/1998

Effective Date: 07/01/1998

Section/Plan No.: S0102, S0107, S0203, S0301, S0403, S0411, S0502, S0606, S0613, S0616, S0620, S0625, S0626, S0902, S1000, S1015, S1018, S1019, S1045

Subject: Revisions to Job Special Provisions

Body

Effective for July Bid Opening are revisions, additions and deletions to the Support Center Job Special Provisions. The following listing shows the changes made since April postings on the JSP database.

REVISIONS:

MISCELLANEOUS

Supplemental Revisions DSP-98-04H 10/98
SUPPREV

Added revisions to Secs 805, 1015, 1018 and 1019 addressing additional seeding material, QC/QA certification acceptance of performance graded binder, QC/QA certification acceptance of fly ash and QC/QA certification acceptance of cement material respectively.

SEC 107 - LEGAL RELATIONS & RESPONSIBILITIES TO THE PUBLIC

General - Federal DSP-98-17 08/98
FEDERAL
General - State DSP-98-18 08/98
STATE

Revised for new State Wage Rates and revised Standard Plans effective August 1998. Note also the changes in numbers from DSP-90-10Z (Federal) and DSP-90-10M (State) to the ones above.

Section 404 Nationwide Permit 12 DSP-98-13 08/98
NO. 12
New JSP for Utility Line Discharges.

SEC 203 - ROADWAY AND DRAINAGE EXCAVATION

Embankment in Place (Contract Furnished Borrow) DSP-94-07E 08/98
EMBANK1

Removed "Design Engineer " for the the district to designate their contact person.

SEC 301 - PLANT MIX BITUMINOUS BASE COURSE

Plant Mix Bituminous Base* 07/98
MSP9609A

MSP-96-09A

* Limited use. Only as approved by Materials Division. This specification contains modifications to the standard specifications for plant mix bituminous base material, Sec 301.

SEC 403 - ASPHALTIC CONCRETE PAVEMENT

Aggrgate QC/QA 08/98
MSP9602F

MSP-96-02F

This specification defines the Quality Control (QC) responsibilities of the aggregate producer and the contractor, and the Quality Assurance (QA) and acceptance responsibilities of the engineer for aggregates specified to meet QC/QA provisions.

SEC 411 - UNDERSEALING PAVEMENT

This section has been deleted entirely and all JSPs incorporated into new Sections 625 of the Standard Specification

SEC 502- PORTLAND CEMENT CONCRETE PAVEMENT

Portland Cement Concrete For Early Open Pavement MSP-91-11A 07/98
MSP9111A

At the contractor's option in order to expedite operations, pavement concrete may be furnished as modified by this specification.

Portland Cement Concrete Unbonded Overlay* 07/98
MSP9112C

* Limited use. Only as approved by Materials Division.
This spec modifies Sec 502.

SEC 606 - GUARDRAIL AND GUARD CABLE

Type A Crashworthy End Terminal 08/98
CRASH

DSP-97-11D
Revised to add Flared Energy Absorbing Terminal (FLEAT).

Type B Crashworthy End Terminal 08/98
CRASHTYB

DSP-97-12C
Added QuadGuard 69/90 Low Maintenance Crash Cushion (LMC).

SEC 613 - PAVEMENT REPAIR

Partial Depth Concrete Pavement Repair 06/98
Pavement Repair

MSP-98-06
This specification modifies Sec 613 to provide for partial depth concrete pavement repair.

SEC 616 - TRAFFIC CONTROL PLAN

Changeable Message Sign (Commission Furnished) DSP-93-27E 09/98
CMSCOMM

Revised by adding a clause for minor damages and the JSP reformatted..

SEC 625 - UNDERSEALING PAVEMENT

Newly Created Section. No JSP revisions.

SEC 626 - RUMBLE STRIPS

Newly Created Section. No JSP revisions.

SEC 902 - TRAFFIC SIGNALS

Closed Loop System DSP-93-32C 10/98
CLOSED
This JSP is updated to reflect the current technology and to include comments from the districts.

SEC 1000 - MATERIALS

Micro-Surfacing MSP-97-03B
MSP9703E

Revised to include the Surface Preparation.

SEC 1045 - PAINT FOR STRUCTURAL STEEL AND WOOD

Rust Penetrating Epoxy Sealer MSP-96-07A
MSP9607A

This specification covers a two-component epoxy amido-amine primer/sealer that is mixed prior to use.

ADDITIONS:

SEC 107 - LEGAL RELATIONS & RESPONSIBILITIES TO THE PUBLIC

General - Federal DSP-98-17 08/98
FEDERAL
General - State DSP-98-18 08/98
STATE

New JSP numbers for Federal and State Wage Rates

Section 404 Nationwide Permit 12 DSP-98-13 08/98
No. 12
New JSP for Utility Line Discharges.

SEC 102 - BIDDING REQUIREMENTS AND CONDITIONS

Bidding Requirements and Conditions DSP-98-14 09/98
BRC

SEC 403- ASPHALTIC CONCRETE PAYMENT

Payment of Bituminous Mixtures byTon DSP-98-09 08/98
PBMT

New DSP. All bituminous mixtures used in resurfacing existing pavements and shoulders on projects will be paid for by mixture type, not by components of each mixture.

Payment of Bituminous Mixtures By Square Yard DSP-98-10 08/98
PBMSY

All bituminous mixtures used in the construction of full depth pavements or as indicated in plans on project will be paid for by the square yard. The quantities shown for each bituminous mixture reflect the total square yards of pavement surface as computed and shown in the plans. No additional payment will be made for construction of the required 1:1 slope along the edge of the pavement.

Payment of Bituminous Mixture By Square Meter DSP-98-11 08/98
PBMSM

Payment of Bituminous Mixture By Megagrams DSP-98-12 08/98
PBMM

SEC 616 - TRAFFIC CONTROL PLAN

Directional Indicator Barricade DSP-98-15 10/98
DIRECT

New one. Device may be used in lieu of channelizer drums for tapers located in the transition area. Note: There are 2 different pay items for these devices - w/ light and w/o light.

SEC 620 - PAVEMENT MARKING

Acrylic Copolymer Fast Dry Traffic Marking Paint MSP-98-08 06/98
MSP9808

SEC 1018 - FLY ASH FOR CONCRETE

QC/QA Certification Acceptance of Fly Ash MSP-98-05 05/98
MSP9805

ATTENTION PROJECT MANAGERS: This JSP should be included in all projects specifying cement or fly ash.

SEC 1019 - CEMENT

QC/QA Certification Acceptance of Cement MSP-98-03 05/98
MSP9803

ATTENTION PROJECT MANAGERS: This JSP should be included in all projects specifying cement.

SEC 1045 - PAINT FOR STRUCTURAL STEEL AND WOOD

Gray Epoxy-Mastic Primer MSP-98-04 05/98
MSP9804

DELETIONS

SEC 403 - ASPALTIC CONCRETE PAVEMENT

Bituminous Test Strip I-B and I-C Asphaltic Concrete Mix DSP-91-02A
Incorporated into Standard Specifications Sec 403.

Bituminous Rumble Strip DSP-92-05 To be deleted 09/98
JSP incorporated into Std. Specs and Sec changed to new Sec 626.

SEC 411 - UNDERSEALING PAVEMENT

New Sec 625 created and sec 411 deleted.

Undersealing Pavement MSP-38E. To be deleted by 09/98

SEC 502 - PORTLAND CEMENT CONCRETE RUMBLE STRIP

Portland Cement Concrete Rumble Strip - DSP-92-04
JSP incorporated into Std Specs and Sec changed to new Sec 626
To be deleted 09/98

SEC 606 - CRASH CUSHION ATTENUATING TERMINAL (CAT-350)

Deleted 4/98 and replaced with DSP-97-12B

SEC 902 - TRAFFIC SIGNALS

Temporary Traffic Signals (Portable) DSP-90-08A
TEMP-SIG

Deleted 4/98 and replaced with DSP-98-05 - Solar-powered Portable traffic Signal System
(Commission Retained)

SEC 1015 - BITUMINOUS MATERIAL

QC/QA Certification Acceptance of Performance Graded Binder MSP-98-02
To be deleted by 09/98

SEC 1018 - FLY ASH FOR CONCRETE

QC/QA Certification Acceptance of Fly Ash
To be deleted by 09/98

SEC 1019 - CEMENT

QC/QA Certificate Acceptance of Cement
To be deleted by 09/98

ibo