

# Design Standards Letter

**Letter Number: G-2004-08**

**Letter Date: 11/01/2004**

**Effective Date: 11/01/2004**

**Section/Plan No.: DSP 04-01C, DSP 04-10, DSP 96-04G, DSP 93-37D**

**Subject: Revisions to Job Special Provisions (JSPs)**

**Body**

-----

Questions concerning the distribution of revisions to job special provisions should be directed to Central Office-Design, Design Standards Section, Michael M. Qutami (573) 526- 4331 or Joe G. Jones (573) 751-3813.

NOTES	EXPLANATION
1	The following listing shows the additions, revisions and deletions made to the Central Office Job Special Provisions between July 01, 2004 and October 31, 2004.
2	Current Job Special Provisions can be viewed on the MoDOT Web Page under the heading "Standards and Specifications" from the menu selection "Business" or at: <a href="http://www.modot.org/business/standards_and_specs/jobspecialprovisions.htm">http://www.modot.org/business/standards_and_specs/jobspecialprovisions.htm</a>
3	Designers, consultants and construction personnel can quickly access the latest revisions of the Job Special Provisions by viewing the AGC Updates in MoDOT's JSP Lotus Notes database. The JSPs compiled in the AGC (Associated General Contractors) Updates are in revision mode so that the viewer can easily identify the changes made to the JSP.

SECTION	DESCRIPTION OF REVISION	EFFECTIVE DATE
<b>SEC 0000</b>	<b>MISCELLANEOUS</b>	
	<b>Supplemental Revisions DSP 04-01C</b>	<b>01/2005</b>
106.14	New section created to provide policy on proprietary items.	
403.2.5.1	Revised this section to further define filler restrictions and include test method requirements.	
505.10.2.1.1	Included this section to provide policy regarding Gradation D aggregate on bridge deck overlays.	
505.10.8.13, 505.10.8.15, & 505.10.8.16	Modified these sections to provide consistency with other sections regarding wet cure applications.	

505.20.8.3	Revised this section to conform to performance specifications.	
505.20.8.6 & 505.20.8.7	Revised these sections to conform to performance specifications regarding wet cure procedures.	
505.20.9.2	Revised this section to conform to performance specifications regarding curing temperatures.	
505.30.3.1	Revised this section to provide minimum and maximum requirements in table.	
505.30.8.3	Revised this section to conform to performance specifications regarding wet cure procedures.	
506.20.3.3.3	Removed requirement on new longitudinal lane joints.	
612.4.1	Clarified TMAs will consist of a TMA unit, support vehicle and flashing arrow panel.	
613.20.2.1.1	Added further policy on optimized aggregate gradation.	
613.20.3.1.2	Revised this section to provide policy regarding transverse milling.	
613.20.3.7	Revised this section to provide policy on when sounding can be performed.	
613.20.4.1	Modified this section to remove a section reference and provide clarification.	
614.10.4	Removed method of measure and provided further clarification on how items are paid for.	
616.2	Revised this section to remove material references to Sections 903 and 1042.	
805.3.3	Added this section for further clarification regarding mulch.	
1002.4	This section now requires certification of mineral fillers.	
1015	The entire section has been rewritten and organized to provide consistency with other sections and to remove confusions regarding polymer modified asphalts and liquid bituminous material.	
1081.2	Revised this section to include policy and section references for aluminum and gray epoxy-mastic primer.	
1081.7	Added this section to include policy for aluminum and gray epoxy-mastic primer.	
<b>SEC 0106</b>	<b>control of material</b>	
	<b>Alternatives for Proprietary Items</b>	<b>07/2004</b>
	<b>DSP-04-10</b>	
	Gives directions to the core team about what to include in the JSP for proprietary items. The core team needs to evaluate what actions they will want to take if the item is not available and modify the JSP to fit the projects need.	
<b>SEC 0403</b>	<b>asphaltic concrete pavement</b>	

	<b>Alternates for Pavements DSP-96-04G</b>	<b>07/2004</b>
	Revised Sec 2.3 to allow optional treatment for light duty pavements with less than 2 lane-miles.	
<b>SEC 0622</b>	<b>PAVEMENT AND BRIDGE SURFACE REMOVAL AND TEXTURING</b>	
	<b>Stockpiling Coldmilled Materials DSP-93-37D</b>	<b>10/2004</b>
	A clarification: Changed will to shall in Sec 1.0	