



City of
SAINT ROBERT


Missouri

194 Eastlawn Avenue, Suite A
Saint Robert, Missouri 65584
573-351-2000 (Phone)
573-336-3714 (Fax)
www.saintrobert.com

DATE: August 9, 2013

TO: Ms. Jenni Jones
Senior Transportation Planner
1511 Missouri Blvd.
P.O. Box 718
Jefferson City, MO 65102
(573) 526-6994

I do hereby certify that in accordance with the requirements of 23 CFR 635.411(a)(2), this patented or proprietary item is essential for synchronization with existing highway facilities.

 8-13-13
Kathryn P. Hervey, State Design Engineer


FROM: City of St. Robert, Missouri
Darrell Duncan

SUBJECT: St. Robert I-44 Pedestrian Bridge Project
STP-9900(948)
Public Interest Finding
Tnemec Hydroflon Paint for Bridge Structural Components.

With reference to the above mentioned project, we request approval of a finding in the public interest to use Tnemec Hydroflon paint on the prefabricated steel truss pedestrian bridge structural components.

Per the manufacturer, Tnemec Hydroflon is an exterior finish coat especially designed for tanks and other exposed steel substrates. HydroFlon has outstanding resistance to ultra-violet light degradation providing unprecedented long-term gloss and color retention with excellent resistance to abrasion and chalking. It is aesthetically pleasing and recommended for coastal environments and on structures where extremely long-term maintenance cycles are desired. The product data for this project is attached to this letter.

Long-term maintenance of the pedestrian bridge structure is the responsibility of the City. The City's maintenance personnel are familiar with the application of this particular product, as it has been used to paint the above grade water storage tanks at various locations in the City. The City has been very pleased with the performance of this product. It is therefore desirable that the product coordinate with the City's inventories and application experience.



City of
SAINT ROBERT

Missouri

194 Eastlawn Avenue, Suite A
Saint Robert, Missouri 65584
573-451-2000 (Phone)
573-336-3714 (Fax)
www.saintrobert.com

Approval of this request at your earliest convenience would be appreciated. This project is scheduled for a late 2013 bid opening.

Sincerely,


Darrell Duncan
City of St. Robert